WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.beevradenburgfoundation.org | Verdict: **Compliant**

This audit evaluates the adherence level of **www.beevradenburgfoundation.org** as of Mon Nov 27 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	9	0	100%

Successful Elements

```
<a href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6I
jM3MjYiLCJ0b2dnbGUiOmZhbHNlfQ%3D%3D" data-acsb-menu="a" role="button" dat
a-acsb-menu-root-link="true" > <span class="elementor-icon-list-text " st
yle=";background...
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active " r
ole="button" tabindex="0" data-acsb-carousel-paging="true"><span data-="t
rue" " aria-hidden="false" > Next carousel slide 1</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 2</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 3</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 4</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 5</span></span>
```

```
<button type="submit" class="elementor-button elementor-size-sm " style
=";background-color:#ffffff!important;color:#000000!important;" role="but
ton"> <span> <span class=" elementor-button-icon" aria-hidden="true" data
-acsb-f...
```

```
<a role="button" class="medium cli-plugin-button cli-plugin-main-button c
li_settings_button " style="undefined;margin: 0px 5px 0px 0px; color: rgb
(51, 51, 51); background-color: rgb(222, 223, 224);background-color:#ffff
```

```
<a id="wt-cli-accept-all-btn" role="button" data-cli_action="accept_all"
class="wt-cli-element medium cli-plugin-button wt-cli-accept-all-btn cook
ie_action_close_header cli_action_button " style="undefined; background-c
olor: rgb(97, 162, 41);backgro...
```

| 2 | Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 9 | 0 | 100% |

Successful Elements

```
<a href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6I
jM3MjYiLCJ0b2dnbGUiOmZhbHNlfQ%3D%3D" data-acsb-menu="a" role="button" dat
a-acsb-menu-root-link="true" > <span class="elementor-icon-list-text " st
yle=";background...
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active " r
ole="button" tabindex="0" data-acsb-carousel-paging="true"><span data-="t
rue" " aria-hidden="false" > Next carousel slide 1</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 2</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 3</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 4</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 5</span></span>
```

```
<button type="submit" class="elementor-button elementor-size-sm " style
=";background-color:#ffffff!important;color:#000000!important;" role="but
ton"> <span> <span class=" elementor-button-icon" aria-hidden="true" data
-acsb-f
```

```
<a role="button" class="medium cli-plugin-button cli-plugin-main-button c
li_settings_button " style="undefined;margin: 0px 5px 0px 0px; color: rgb
(51, 51, 51); background-color: rgb(222, 223, 224);background-color:#ffff
ff!important" tabindex="0" ...
```

```
<a id="wt-cli-accept-all-btn" role="button" data-cli_action="accept_all"
class="wt-cli-element medium cli-plugin-button wt-cli-accept-all-btn cook
ie_action_close_header cli_action_button " style="undefined; background-c
olor: rgb(97, 162, 41);backgro...
```

| 3 | Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 32 | 0 | 100% |

Successful Elements

```
<a href="https://www.beevradenburgfoundation.org/contact/" data-acsb-menu
="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to naviga
te"> <span class="elementor-icon-list-text " style=";background-color:#ff
ffff!important;c...
```

```
<a href="https://www.beevradenburgfoundation.org/grantseekers/" data-acsb
-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-li
st-text " style=";background-color:#ffffff!important;color:#000000!import
ant;">Apply for ...
```

```
<a href="https://www.beevradenburgfoundation.org" > <span data-="true" "
aria-hidden="false" > Home </span><img width="1050" height="506" src="htt
ps://www.beevradenburgfoundation.org/wp-content/uploads/2022/06/BV_logo_P
rintResolution-1.jpeg" cl...
```

```
<a href="https://www.beevradenburgfoundation.org/about/" class="elementor
-item has-submenu " id="sm-17010945265817312-1" aria-controls="sm-1701094
5265817312-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded="...
```

```
<a href="https://www.beevradenburgfoundation.org/grantseekers/" class="el
ementor-item has-submenu " id="sm-17010945265817312-3" aria-controls="sm-
17010945265817312-4" data-acsb-menu="a" data-acsb-menu-root-link="true" a
ria-haspopup="true" aria-exp...
```

```
<a href="https://www.beevradenburgfoundation.org/bee-an-arts-champion/" c
lass="elementor-item has-submenu " id="sm-17010945265817312-5" aria-contr
ols="sm-17010945265817312-6" data-acsb-menu="a" data-acsb-menu-root-link
="true" aria-haspopup="true" ...
```

```
<a href="https://www.beevradenburgfoundation.org/home-page/reports-medi
a/" class="elementor-item has-submenu " id="sm-17010945265817312-7" aria-
controls="sm-17010945265817312-8" data-acsb-menu="a" data-acsb-menu-root-
link="true" aria-haspopup="tru...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href
="https://www.beevradenburgfoundation.org/about/" > <span class="elemento
r-button-content-wrapper"> <span class="elementor-button-icon elementor-a
lign-icon-left " s...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href
="https://www.beevradenburgfoundation.org/quicklinks/request-a-call-with-
the-executive-director/" style=";background-color:#ffffff!important;colo
r:#000000!important;"> ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href
="https://www.beevradenburgfoundation.org/staff-trustees/" style=";backgr
ound-color:#ffffff!important;color:#000000!important;"> <span class="elem
entor-button-content-w...
```

| 4 | Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab. | Yes | 3 | 0 | 100% |

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-sm" href
="https://www.beevradenburgfoundation.org/quicklinks/grant-application/"
target="_blank" data-acsb-tooltip="New Window" > <span data-="true" " ari
a-hidden="false" > New ...
```

```
<a href="https://goo.gl/maps/4EAodmFaiK7g4Pbt9" target="_blank" data-acsb
-tooltip="New Window" style=";background-color:#ffffff!important;color:#0
00000!important;"><span data-="true" " aria-hidden="false" > New Window
</span>315 E. Pikes Peak Av...
```

```
<a href="tel://719-477-0185" target="_blank" data-acsb-tooltip="New Windo
w" style=";background-color:#ffffff!important;color:#000000!important;"><
span data-="true" " aria-hidden="false" > Click to Call </span>719-477-01
85</a>
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-default " style=";backg
round-color:#ffffff!important;color:#000000!important;" role="heading" ar
ia-level="1"><span style=";background-color:#ffffff!important;color:#0000
00!important;">The arts are</s...
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	8	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	5	0	100%

Successful Elements

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active " r
ole="button" tabindex="0" data-acsb-carousel-paging="true"><span data-="t
rue" " aria-hidden="false" > Next carousel slide 1</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 2</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 3</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 4</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 5</span></span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS	No	0	0	-

an element with an "aria-hidden" attribute that equals to "false", or include it directly,

and have it dynamically changed to "true" when they become visible.

| 14 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. | No | 0 | 0 | - |

| 15 | Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. | Yes | 5 | 0 | 100% |

Successful Elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-me
nu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data
-acsb-menu="li" data-acsb-menu-root="true"> <a href="https://www.beevrade
nburgfoundati...
```

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elemen
tor-nav-menu--layout-horizontal e--pointer-underline e--animation-grow" r
ole="navigation" data-acsb-complex-menu="true" data-acsb-main-menu="true"
aria-label="Main Menu"> <u...
```

```
<ul class="elementor-icon-list-items" data-acsb-menu="ul" > <li class="el
ementor-icon-list-item" data-acsb-menu="li" data-acsb-menu-root="true"> <
a href="https://www.beevradenburgfoundation.org/about/" data-acsb-menu
="a" data-acs...
```

```
<ul class="elementor-icon-list-items" data-acsb-menu="ul" > <li class="el
ementor-icon-list-item" data-acsb-menu="li" data-acsb-menu-root="true"> <
a href="https://www.beevradenburgfoundation.org/bee-an-arts-champion/" da
ta-acsb-me...
```

| 16 | Menu items that have a dropdown menu include an "aria-haspopup" attribute that | Yes | 4 | 0 | 100% |

Successful Elements

```
<a href="https://www.beevradenburgfoundation.org/about/" class="elementor
-item has-submenu " id="sm-17010945265817312-1" aria-controls="sm-1701094
5265817312-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded="...
```

```
<a href="https://www.beevradenburgfoundation.org/grantseekers/" class="el
ementor-item has-submenu " id="sm-17010945265817312-3" aria-controls="sm-
17010945265817312-4" data-acsb-menu="a" data-acsb-menu-root-link="true" a
ria-haspopup="true" aria-exp...
```

```
<a href="https://www.beevradenburgfoundation.org/bee-an-arts-champion/" c
lass="elementor-item has-submenu " id="sm-17010945265817312-5" aria-contr
ols="sm-17010945265817312-6" data-acsb-menu="a" data-acsb-menu-root-link
="true" aria-haspopup="true" ...
```

```
<a href="https://www.beevradenburgfoundation.org/home-page/reports-medi
a/" class="elementor-item has-submenu " id="sm-17010945265817312-7" aria-
controls="sm-17010945265817312-8" data-acsb-menu="a" data-acsb-menu-root-
link="true" aria-haspopup="tru...
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	4	0	100%

Successful Elements

```
<a href="https://www.beevradenburgfoundation.org/about/" class="elementor
-item has-submenu " id="sm-17010945265817312-1" aria-controls="sm-1701094
5265817312-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded="...
```

```
<a href="https://www.beevradenburgfoundation.org/grantseekers/" class="el
ementor-item has-submenu " id="sm-17010945265817312-3" aria-controls="sm-
17010945265817312-4" data-acsb-menu="a" data-acsb-menu-root-link="true" a
ria-haspopup="true" aria-exp...
```

```
<a href="https://www.beevradenburgfoundation.org/bee-an-arts-champion/" c
lass="elementor-item has-submenu " id="sm-17010945265817312-5" aria-contr
ols="sm-17010945265817312-6" data-acsb-menu="a" data-acsb-menu-root-link
="true" aria-haspopup="true" ...
```

```
<a href="https://www.beevradenburgfoundation.org/home-page/reports-medi
a/" class="elementor-item has-submenu " id="sm-17010945265817312-7" aria-
controls="sm-17010945265817312-8" data-acsb-menu="a" data-acsb-menu-root-
link="true" aria-haspopup="tru...
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	1	2	33%

Successful Elements

```
<img width="706" height="357" src="https://www.beevradenburgfoundation.or
g/wp-content/uploads/2020/12/Mask-Group-1.png" class="attachment-large si
ze-large wp-image-2499" alt="Mask group" loading="lazy" srcset="https://w
ww.beevradenburgfoundation.org/...
```

Failed Elements

```
<img width="1050" height="506" src="https://www.beevradenburgfoundation.o
rg/wp-content/uploads/2022/06/BV_logo_PrintResolution-1.jpeg" class="elem
entor-animation-shrink attachment-full size-full wp-image-2320" alt="Bv_l
ogo_printresolution" loading="l...
```

```
<img width="344" height="166" src="https://www.beevradenburgfoundation.or
g/wp-content/uploads/2020/12/BV_logo_PrintResolution-1.png" class="elemen
tor-animation-grow attachment-large size-large wp-image-2495" alt="Bv_log
o_printresolution" loading="laz...
```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-

Font icons, SVG or images that are being used as spacers, decorations or their

purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".

Successful Elements

```
<span id="toTop" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg class="e-font-icon-svg e-fas-caret-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c-7.8 7.8-20.5 7.8-28.3 0L17.2 22...
```

```
<span id="primary" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 15 10.5" style="enable-background:new 0 0 15 10.5;;background-color:#ffffff!important;color:#000000!important;" xml:space="pr...
```

```
<span class="elementor-icon-list-icon" aria-hidden="true" data-acsb-force-hidden="true" > <i class="fad fa-triangle" aria-hidden="true" data-acsb-force-hidden="true" ></i> </span>
```

```
<i class="fad fa-triangle" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="elementor-icon-list-icon" aria-hidden="true" data-acsb-force-hidden="true" > <i aria-hidden="true" class="fad fa-triangle" data-acsb-force-hidden="true" ></i> </span>
```

```
<i aria-hidden="true" class="fad fa-triangle" data-acsb-force-hidden="true" ></i>
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/19
99/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 40 40" xml:space="pre
serve" aria-hidden="true" style=";background-color:#ffffff!important;colo
r:#000000!important;" data-ac...
```

| 21 | Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. | Yes | Pass | - | 100% |

Successful Elements

```
<figure class="wp-caption"> <img decoding="async" width="466" height="69
8" src="https://www.beevradenburgfoundation.org/wp-content/uploads/2022/0
7/Screen-Shot-2022-05-16-at-3.15.33-PM.jpg" class="attachment-large size-
large wp-image-2482" a...
```

| 22 | Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. | No | 0 | 0 | - |

| 23 | Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. | No | 0 | 0 | - |

| 24 | Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). | Yes | 5 | 0 | 100% |

Successful Elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name"
class="elementor-field elementor-size-sm elementor-field-textual" placeho
lder="Name" required="true" aria-required="true" aria-hidden="false" data
-acsb-validation-uuid="for...
```

```
<input size="1" type="text" name="form_fields[field_e0e1b9d]" id="form-fi
eld-field_e0e1b9d" class="elementor-field elementor-size-sm elementor-fie
ld-textual" placeholder="Pronouns" aria-hidden="false" data-acsb-validati
on-uuid="form-field-field_e...
```

```
<input size="1" type="tel" name="form_fields[field_1bd31ca]" id="form-fie
ld-field_1bd31ca" class="elementor-field elementor-size-sm elementor-fiel
d-textual" placeholder="Phone Number" required="true" aria-required="tru
e" pattern="[0-9()#&amp;+*-=.]+...
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-ema
il" class="elementor-field elementor-size-sm elementor-field-textual" pla
ceholder="Email Address" required="true" aria-required="true" aria-hidden
="false" data-acsb-validati...
```

```
<textarea class="elementor-field-textual elementor-field elementor-size-s
m" name="form_fields[message]" id="form-field-message" rows="4" placehold
er="Message" aria-hidden="false" type="textarea" data-acsb-validation-uui
d="form-field-message" data...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	17	0	100%

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452658173
12-2" role="region" aria-hidden="true" aria-labelledby="sm-17010945265817
312-1" data-acsb-menu="ul" aria-label="Submenu" > <li class="menu-item me
nu-item-type-post_type menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452658173
12-4" role="region" aria-hidden="true" aria-labelledby="sm-17010945265817
312-3" data-acsb-menu="ul" aria-label="Submenu" > <li class="menu-item me
nu-item-type-post_type menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452658173
12-6" role="region" aria-hidden="true" aria-labelledby="sm-17010945265817
312-5" data-acsb-menu="ul" aria-label="Submenu" > <li class="menu-item me
nu-item-type-post_type menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452658173
12-8" role="region" aria-hidden="true" aria-labelledby="sm-17010945265817
312-7" data-acsb-menu="ul" aria-label="Submenu" > <li class="menu-item me
nu-item-type-post_type menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452661907
03-2" role="group" aria-hidden="true" aria-labelledby="sm-170109452661907
03-1" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452661907
03-4" role="group" aria-hidden="true" aria-labelledby="sm-170109452661907
03-3" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452661907
03-6" role="group" aria-hidden="true" aria-labelledby="sm-170109452661907
03-5" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452661907
03-8" role="group" aria-hidden="true" aria-labelledby="sm-170109452661907
03-7" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452662232
67-2" role="group" aria-hidden="true" aria-labelledby="sm-170109452662232
67-1" aria-expanded="false" style=";background-color:#ffffff!important;co
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-170109452662232
67-4" role="group" aria-hidden="true" aria-labelledby="sm-170109452662232
67-3" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

| 29 | All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. | Yes | Pass | - | 100% |

Successful Elements

```
<form class="elementor-form" method="post" name="Contact Form" data-acsb-
form-uuid="aoxwq4l1vzk9" data-acsb-form-type="standard"> <input type="hid
den" name="post_id" value="26" aria-hidden="true" tabindex="-1" > <input
type="hidden" name="for...
```

| 30 | Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. | No | 0 | 0 | - |

| 31 | The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. | Yes | Pass | - | 100% |

Successful Elements

```
<title aria-hidden="true" style=";background-color:#ffffff!important;colo
r:#000000!important;" >Bee Vradenburg Foundation - Bee Vradenburg Foundat
ion</title>
```

| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100% |

Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" cl
ass="acsb-light-contrast"><head><script src="https://www.beevradenburgfou
ndation.org/wp-includes/js/wp-emoji-release.min.js?ver=6.1.4" type="text/
javascript" defer=""></script><...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	No	0	0	-
34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%

Successful Elements

```
<main id="primary" class="site-main" role="presentation"> <article id="po
st-2" class="post-2 page type-page status-publish hentry"> <div class="en
try-content"> <div data-elementor-type="wp-page" data-elementor-id="2" cl
ass="elementor elemen...
```

```
<footer id="colophon" class="site-footer" data-acsb-page-footer="true" ro
le="contentinfo" aria-label="Footer"> <div class="site-info"> <!-- Elemen
tor Header --> <div data-elementor-type="section" data-elementor-id="26"
class="elementor e...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below	Yes	Pass	-	100%

verified also when using dynamic units
such as REM or percents.

| 37 | Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. | Yes | 65 | 0 | 100% |

Successful Elements

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!
important;color:#000000!important;">Contact us</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!
important;color:#000000!important;">Sign Up for Newsletter</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!
important;color:#000000!important;">Apply for a Grant</span>
```

```
<a href="https://www.beevradenburgfoundation.org/about/" class="elementor
-item has-submenu " id="sm-17010945265817312-1" aria-controls="sm-1701094
5265817312-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded="...
```

```
<a href="https://www.beevradenburgfoundation.org/grantseekers/" class="el
ementor-item has-submenu " id="sm-17010945265817312-3" aria-controls="sm-
17010945265817312-4" data-acsb-menu="a" data-acsb-menu-root-link="true" a
ria-haspopup="true" aria-exp...
```

```
<a href="https://www.beevradenburgfoundation.org/bee-an-arts-champion/" c
lass="elementor-item has-submenu " id="sm-17010945265817312-5" aria-contr
ols="sm-17010945265817312-6" data-acsb-menu="a" data-acsb-menu-root-link
="true" aria-haspopup="true" ...
```

```
<a href="https://www.beevradenburgfoundation.org/home-page/reports-medi
a/" class="elementor-item has-submenu " id="sm-17010945265817312-7" aria-
controls="sm-17010945265817312-8" data-acsb-menu="a" data-acsb-menu-root-
link="true" aria-haspopup="tru...
```

```
<h1 class="elementor-heading-title elementor-size-default " style=";backg
round-color:#ffffff!important;color:#000000!important;" role="heading" ar
ia-level="1"><span style=";background-color:#ffffff!important;color:#0000
```

```
<span style=";background-color:#ffffff!important;color:#000000!importan
t;">The arts are</span>
```

```
<p >Welcome to Bee Vradenburg Foundation. We center equity and inclusion
across our work to advance the relevance, resilience and greatness of art
s in the Pikes Peak Region. We're glad you're here to join us on this jou
rney.</p>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	5	0	100%

Successful Elements

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active " r
ole="button" tabindex="0" data-acsb-carousel-paging="true"><span data-="t
rue" " aria-hidden="false" > Next carousel slide 1</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 2</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 3</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 4</span></span>
```

```
<span class="swiper-pagination-bullet " role="button" tabindex="0" data-a
csb-carousel-paging="true"><span data-="true" " aria-hidden="false" > Nex
t carousel slide 5</span></span>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation"	No	0	0	-

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-